





Better Capture, Greater Justice





The SC780 is a future-ready 4G LTE body camera. It unlocks next-level performance in recording. In addition to capturing extra-sharp, rock-steady videos with more details on the scene, the SC780 records up to 120 seconds before the sliding of the video recording key. In response to unforeseen circumstances, you will never worry about missing any shots of the critical events.

The SC780 is enabled with a basket of real-time connected features with Hytera System — HD video livestreaming, secured voice and video communications, intelligent scene aware, and then some. All connect on-site officers and control centers in real time, accelerating effective response.





CAPTURE MORE TRUTH

In law enforcement activities such as traffic accident disposing, daily patrol, on-site investigation, and emergency response, body cameras provide objective records of interactions between officers and civilians. These critical evidence serve as the cornerstone to protect communities, strengthen public trust, and uphold justice.



Clarity

130°

FOV

6-axis
Image Stabilization

130° Ultra-Wide FOV

Get much more crucial elements and surroundings of a scene into the frame, helping completely present how incidents unfolded.

Rock-steady Videos

Take supremely stable, blur-free shots while walking or running, thanks to the 6-axis image stabilization algorithm.

Record Sounds Soundly

Record authentic and detail-rich sounds perfect for critical evidence, even distant conversations up to 10 meters away, benefitting from two powerful microphones.







Completeness

120s

Pre-recording/Post-recording

Capture events up to 120s prior to sliding the video recording key, and 120s after recording is stopped. This ensures that incident narratives are thorough, and credible sound.





Security

AES-256 Encryption Tamper-proof verification

Protect evidence from unauthorized decryption and tampering through AES-256 encryption algorithm and tamper-proof verification, during transmission and storage.



FACILITATE VISUALIZED DISPATCH



The SC780 lets in-office dispatchers know on-site situations in a visual way, including real-time videos and device position on the map, enabling a quick response in emergencies.

Adaptive Bitrate Streaming (ABR)

Adjust video quality based on network conditions to ensure more reliable and smoother video.

Dual-stream Technology

Livestream video to the control center while saving footage locally.

Precise Positioning

Enhance positioning accuracy with a flexible combination of GPS, BDS, GLONASS, or Galileo satellite systems.



Intelligent Scene Aware

The device continuously monitors light, motion, and battery status including battery removal, to instantly detect if the camera is blocked, or an officer is down or in distress. It automatically triggers an alarm to the control center, ensuring immediate assistance and comprehensive safety for personnel and equipment.



PUSH TO TALK WITH SUPERB AUDIO



Just press the easy-to-locate, large PTT key on SC780, you can communicate with an individual or a group even during recording.

Communicate over Public Networks

Wherever there is a cellular signal, the SC780 can deliver voice, video, and multimedia data services.

Collaborate with DMR/TETRA Radio

With the Hytera converged communication system, the SC780 communicates with DMR or TETRA radios securely and stably.





Loud and Clear Audio

Super Loudness

85dB@30cm¹

Loudness

Equipped with two 1.5 W powerful speakers, the SC780 delivers the audio with a maximum loudness of 85 dB at 30 cm away, making officers hear and be heard in highly noisy environments.

Ultra Clarity

40 dB

Al-based Noise Cancellation²

Thanks to the Al-based noise cancellation algorithm, the SC780 can quickly separate the human voice from background noise within 20 ms, helping officers get right commands from the first word.


High Adjustment

30 cm

Howling Suppression

Using the advanced howling suppression algorithm, the SC780 eliminates a screeching feedback noise when two body cameras are too close, even 30 cm away from each other.





¹85dB is about the volume of cars shuttling across the road. ² No noise cancellation is performed in recording for evidence integrity.

MAXIMIZE WORK EFFICIENCY

Slide to Record, Quick and Right

The intuitive sliding design of the video recording key makes recording activation easier than ever. Its changes of physical position on the camera help officers to know whether the recording is on or off with a simple touch — so they can stay focused on what is happening without getting distracted.



Uploading critical evidences to digital evidence management system via LTE or WLAN from the field, to enhance higher efficiency.









Easily bind the SC780 with the officer ID just by putting the ID card near the camera. At shift changes, the SC780 allows officers to switch the device account just by a tap, bringing a faster and more secure experience.



When one camera starts recording, the other nearby cameras will automatically start recording as well.

Simplify the equipment operation, allowing users to focus on handling the on-site events.





13 hours Continuous video

recording

3 to 5 minutes Uninterrupted power

during battery replacement

The 3,200mAh main battery for up to 13-hour³ continuous recording at 720p (GPS on, LTE connected with no data flow). Another built-in backup battery powers the ongoing recording for 3 to 5 minutes in case of a power loss, e.g. main battery replacement. Zero downtime without compromise.

³ The time is measured in the lab and may vary from configuration.



Applications





Emergency








Customs Traffic Market Surveillance

Solution



Accessories

Optional



Magnet Mount

Use powerful magnet to grip your uniform tightly.



Chest Harness

Adjustable reflective strap for night work safety.



Shoulder Strap

Adjustable strap for all-day comfort movement.



Molle Mount

Compatible with Molle system.



Motorcycle Mount

- 360° adjustable
- Anti-slip and stable



Car Mount

- Adjustable angle
- Super-strong suction cup



Multi-Unit Charger



Ring PTT



Earpiece



External Camera



RSM cable

Standard •



Battery



Belt Clip



USB Type-C Cable



Power Adapter

Specifications

General	
Dimensions (H x W x D)	103 mm x 56 mm x 34 mm
Weight	180 g (with battery)
Screen	2.4-inch
Storage Capacity	32 GB/64 GB/128 GB/256 GB
Battery Capacity	3200 mAh
Battery Life	13 hours (720p, GPS on, LTE connected
	with no data flow)
Positioning	GPS/BDS/GLONASS/GALILEO
Interface	USB 3.0 Type-C, supporting OTG

Camera	
Camera	Main camera x 1, front camera x 1
Night Vision	Infrared night vision
Field of View	130° diagonal, 122° horizontal, 85° vertical

Pre-recording 10s/20s/30s/60s/120s Photo Resolution up to 48 MP Video File Format MPEG-4 (.mp4)	Recording	
720p@30fps, 480p@30fps Pre-recording 10s/20s/30s/60s/120s Photo Resolution up to 48 MP Video File Format MPEG-4 (.mp4)	lidea Pasalutian	1440p@30fps, 1080p@30fps,
Photo Resolution up to 48 MP Video File Format MPEG-4 (.mp4)	naeo resolution	720p@30fps, 480p@30fps
Video File Format MPEG-4 (.mp4)	Pre-recording	10s/20s/30s/60s/120s
	Photo Resolution	up to 48 MP
Photo File Format JPEG (.ipg)	√ideo File Format	MPEG-4 (.mp4)
01-37	Photo File Format	JPEG (.jpg)
Audio File Format Advanced Audio Coding	Audio File Format	Advanced Audio Coding (.aac)

Reliability	
Certificate	IP68, MIL-STD-810H, CE, IC,
	EN 18031, EN IEC 62680, PSTI
Drop Test	1.5 meters
OperatingTemperature	−20°C to + 60°C
Connectivity	
WLAN	2.4GHz and 5GHz
	802.11 a/b/g/n/ac,WPA2/WPA3-PSK
NFC	Available
	Asian, European, and African version
	GSM: 850/900/1800/1900
	CDMA: Bc0
	WCDMA: B1/B3/B5/B8
	TDD-LTE: B34/B38/B39/B40/B41
Cellular Networks	FDD-LTE: B1/B3/B5/B7/B8/B20/B26/B2
	American version:
	GSM: 850/900/1800/1900
	WCDMA: B2/B4/B5/ B8
	TDD-LTE: B38/B40/B41
	FDD-LTE: B2/B3/B4/B5/B7/B12/B13/B1
	B26/B28/B66

Address: 2/9 Allgas St, Slacks Creek QLD 4127